



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## GENERAL NOTES

## TWO UNUSUAL BIRD RECORDS FOR CENTRAL ILLINOIS.

Two rather unusual records for Central Illinois are those of the blue grosbeak (*Guiraca caerulea caerulea*), May 3-10, and of the bald eagle (*Haliaeetus leucocephalus leucocephalus*), May 3-20, which I obtained northeast of Rantoul, Illinois.

I observed the blue grosbeaks first, early in the morning in a low plum-bush, where a pair were quietly at rest. For a week this pair remained about the place where I first saw them, and then left.

The bald eagles frequented a walnut grove beside an old abandoned orchard until one was shot in the immediate vicinity, the other about five miles south. The wing-spread of the birds was over five feet.

The record of the blue grosbeaks was the first in many years of continuous observations; that of the bald eagle the first since 1915.

SIDNEY E. EKBLAW.

Rantoul, Ill.

## THE PASSING OF THE BLUE GROSBEAK

(*Guiraca caerulea caerulea*).

H. T. Jackson's record in the June issue of the Bulletin, of a Blue Grosbeak in this section, recalls to mind the fact that twenty-five years ago the Dickcissel (*Spiza americana*) was very common in this part of the country.

I have not seen one in Maryland, Virginia, or parts of North Carolina that I have traveled in, for over twenty years.

The Blue Grosbeak, some years past, was rather a common breeding bird in the tidewater section, but has been getting more scarce each year, until the seasons 1917 and 1918 have gone by without my seeing a single breeding pair of them. It will be interesting to note if they follow the lead of the Dickcissel and move farther westward.

It has not been the lack of suitable breeding grounds that has kept either of these birds from our territory, for the pine timber has about all been cut off, and was followed by the small hard wood scrubby growth, so well liked and utilized by these two species.

HAROLD H. BALIEY.

Newport News, Va.